

**Installation Instructions for item
SKU# 230370
(LD-KH257)**

Rated Voltage 220-240V, 50Hz

PLEASE READ AND SAVE ALL INSTRUCTIONS CAREFULLY BEFORE USING THE PRODUCT

WARNING - to reduce the risk of fire, electrical shock or injury to persons or property, please follow the guideline below for safe use and installation.

INSTALLATION REQUIREMENTS:

- **Must be installed by a Licensed Electrician.**
- **Must be installed according to the current wiring rules AS/NZS3000.**
- **Do not exceed the maximum wattage rating**

INSTALLATION DIRECTION:

- Check whether the fitting has been damaged during transport. Do not operate/install any product which appears damaged in any way. Return the complete product to the place of purchase for inspection, repair or replacement.
 - Ensure all power connection is off for your own safety.
 - Level all the components on a smooth surface and make sure there is no component missing before assembly.
1. Drill the holes on the wall and hammer the anchor in the wall
 2. Secure the base on the wall via screws.
 3. Connect the mains supply wire to the light fitting using the terminal block provided. Ensure that the wires are secure and no bare wires are exposed.


Mains Supply Wire

Earth – Yellow/Green
Neutral – Blue or Black
Live – Brown or Red

Fitting Wire

Yellow/Green ⊕
Blue
Brown




4. Secure the lamp housing to the base via screws.
5. Install the bulbs(GU/GZ10, 1*35W Max or CFL 1*11W Max, bulb not included)



① N	② L	③ \perp	④
blauw	bruin	geel-groen	
bleu	blun	jaune-vert	
blue	brown	yellow-green	
blau	braun	gelg-grun	
azul	marron	amarillo-verde	
azul	castanho	amarello-verde	
azzurro	bruno	giallo-verde	
bla	brun	gul-grun	
kek	barna	zluta-zelena	
modra	hneda	zolty-zielony	
niebieski	brazowy	zolty-zielony	

Model: LD-KH257 220-240V AC 50Hz
 GU10 MAX: 35W

IP44 ∇ \perp \blacktriangle



TIPS

1. To avoid injury or damage to the fitting, ensure that power leads and screws are secure before connecting the power.
2. Handle the fitting and cover/shade with care to avoid breakage.
3. Turn OFF power and wear gloves when changing or cleaning bulbs.
4. Find a suitable location away from liquids and hazards.
5. Ensure that the fitting does not come in contact with corrosive chemicals, etc.
6. To clean, wipe with a damp clean cloth. Never soak the fitting with water.

SPECIFICATIONS:

SKU #	Model #	Rated voltage	Lamp holder	Rated wattage	IP Rating
230370	LD-KH257	220-240V~50Hz	GU/GZ10	1x Max.35W or CFL1xMax.11W	IP44